

# UTILITY PATENT APPLICATION TRANSMITTAL

## (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.  
FE-00427

Total Pages in this Submission

### TO THE ASSISTANT COMMISSIONER FOR PATENTS

Box Patent Application  
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:

**SYSTEM AND METHOD FOR INTERACTIVE ELECTRONIC MEDIA EXTRACTION FOR WEB PAGE GENERATION**

and invented by:

**James W. Peel, Jr. and Melanie Langston**

If a **CONTINUATION APPLICATION**, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: \_\_\_\_\_

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: \_\_\_\_\_

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: \_\_\_\_\_

Enclosed are:

### Application Elements

1. ☒ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 30 pages and including the following:
  - a. ☒ Descriptive Title of the Invention
  - b. ☒ Cross References to Related Applications (if applicable)
  - c. ☐ Statement Regarding Federally-sponsored Research/Development (if applicable)
  - d. ☐ Reference to Microfiche Appendix (if applicable)
  - e. ☒ Background of the Invention
  - f. ☒ Brief Summary of the Invention
  - g. ☒ Brief Description of the Drawings (if drawings filed)
  - h. ☒ Detailed Description
  - i. ☒ Claim(s) as Classified Below
  - j. ☒ Abstract of the Disclosure

# UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.  
FE-00427

Total Pages in this Submission

## Application Elements (Continued)

3. ☒ Drawing(s) (when necessary as prescribed by 35 USC 113)
- a. ☐ Formal                      Number of Sheets \_\_\_\_\_
- b. ☒ Informal                      Number of Sheets 16
4. ☒ Oath or Declaration
- a. ☒ Newly executed (original or copy)                      ☐ Unexecuted
- b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional application only)
- c. ☒ With Power of Attorney                      ☐ Without Power of Attorney
- d. ☐ DELETION OF INVENTOR(S)  
Signed statement attached deleting inventor(s) named in the prior application,  
see 37 C.F.R. 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference (usable if Box 4b is checked)  
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Computer Program in Microfiche (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all must be included)
- a. ☐ Paper Copy
- b. ☐ Computer Readable Copy (identical to computer copy)
- c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

## Accompanying Application Parts

8. ☒ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(B) Statement (when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement/PTO-1449                      ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Acknowledgment postcard
14. ☐ Certificate of Mailing
- ☐ First Class                      ☐ Express Mail (Specify Label No.): HAND DELIVERED

# UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.  
FE-00427

Total Pages in this Submission

## Accompanying Application Parts (Continued)


15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16. ☐ Additional Enclosures (please identify below):

## Fee Calculation and Transmittal

### CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	24	- 20 =	4	x \$18.00	\$72.00
Indep. Claims	7	- 3 =	4	x \$78.00	\$312.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$690.00
OTHER FEE (specify purpose)					\$0.00
TOTAL FILING FEE					\$1,074.00

- ☐ A check in the amount of \_\_\_\_\_ to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. 12-2141 as described below. A duplicate copy of this sheet is enclosed.
- ☒ Charge the amount of \$1,074.00 as filing fee.
- ☒ Credit any overpayment.
- ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
- ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).

  
Signature

Joni D. Stutman  
Reg. No. 42,173

Dated: January 31, 2000

Whitham, Curtis & Whitham  
Reston International Center  
11800 Sunrise Valley Drive, Suite 900  
Reston, VA 20191  
(703)391-2510

cc:

LAW OFFICES  
WHITHAM, CURTIS & WHITHAM, PLC  
INTELLECTUAL PROPERTY LAW  
11800 SUNRISE VALLEY DRIVE, SUITE 900  
RESTON, VIRGINIA 20191

APPLICATION  
FOR  
UNITED STATES  
LETTERS PATENT

Applicants: James W. Peel, Jr. and Melanie Langston  
For: SYSTEM AND METHOD FOR INTERACTIVE  
ELECTRONIC MEDIA EXTRACTION FOR  
WEB PAGE GENERATION  
Docket No.: FE-00427

# **SYSTEM AND METHOD FOR INTERACTIVE ELECTRONIC MEDIA EXTRACTION FOR WEB PAGE GENERATION**

## **CROSS-REFERENCE TO RELATED APPLICATIONS**

5           This application is related to provisional patent applications Serial  
No. 60/139,129 entitled "IETM HTML Extract Application" filed Jun. 14,  
1999 and Serial No. 60/158,129 entitled "System and Method for  
Interactive Electronic Media Extraction for Web Page Generation" filed  
October 8, 1999 the entire subject matter of which is incorporated herein  
10           by reference.

## **DESCRIPTION**

### **BACKGROUND OF THE INVENTION**

#### *Field of the Invention*

15           The present invention generally relates to display of Interactive  
Electronic Media and, more particularly, to a method for parsing a  
database structure to produce tagged data that preserves the content, links,  
and structure of the original electronic media description.

#### *Background Description*

20           An initiative was started in the 1970's in the U.S. Department of  
Defense (DoD) to create a paperless ship environment for technical  
manuals. Originally the documents were raster scanned paper documents.  
In 1992, three Interactive Electronic Technical Manual (IETM) standards

were approved by the DoD. Currently, the U.S. DoD specification, MIL-PRF-87269, "Data Base, Revisable: Interactive Electronic Technical Manuals, For the Support Of" is currently the only available published standard for developing IETMs.

5           Interactive Electronic Technical Manuals (IETMs) are designed to enable a technician to walk through maintenance procedures in a logical sequence and through fault isolation techniques. An Interactive Electronic Technical Manual (IETM) can be one of the many by-products of Standard Generalized Markup Language (SGML)/eXtensible Markup Language  
10 (XML) content tagged data. The use of databases and legacy data for system maintenance/repair combined with SGML/XML tagged content can result in an IETM.

          There a number of varieties of IETMs in existence today. Each variation stores a description of the technical manual in a database  
15 structure. Some systems may use primitive flat file directory structure and some use more sophisticated relational databases. The stored data is in accordance with the DoD standard, but each system typically uses custom software to retrieve the data and create an interactive session of the manual or document. A technician views the manual on a terminal connected,  
20 either directly or via a network, to a host computer on which the database resides. As the technician makes interactive choices regarding which pages or procedures to view, additional data is retrieved from the database in order to format the requested pages.

          It has been determined that relational database IETMs enhance data  
25 maintainability, thus reducing management costs, and is the best solution for large-scale IETM applications. These applications use tools applicable to Database Management Systems (DBMS), most of which have proprietary data-replication facilities, typically utilize network protocols and procedures different from those used by the World Wide Web, and as  
30 such, not are compliant with an interoperable architecture. In particular,

Class 4 IETM applications require the services of a separate DBMS as well as the presentation method that is encapsulated in the IETM.

A class 4 IETM represents the group of hierarchically structured IETMs. Class 4 IETMs represent the primary desired IETM class for new acquisition programs currently being procured by the U.S. Navy. Class 4 is a complete departure from previous classes whose data is structured to support a classical publishing environment based on sentence, paragraph, chapters, pages, etc. Class 4 data is created and managed as hierarchical objects within a database. Class 4 IETMs are not bound by a predetermined sequence of presentation, and by building a hierarchical database structure provides the logic and the linkage among and between data that is inherently integral to hierarchical databases. Data is created once with no duplication. Links are provided between the IETM elements controlling navigation and allowing the user a customized view of data.

There are several known problems or disadvantages of viewing IETMs according the state of the art methods. For instance, IETM application developers utilize proprietary viewers for their IETM data. The Web solution for their IETMs require the services of a separate database management system (DBMS), as well as presentation methods that encapsulate the IETM presentation. These methods utilize specialized server and client software, creating additional infrastructure burdens, and resulting in cost and maintenance impacts associated with the products development. Thus, there is a need to enhance cross platform support and technical data interoperability. Class 4 IETMs are difficult to manage in a Web environment.

Figure 1 shows a state of the art process for presenting an IETM to a user. First, a technical manual is described 100 by a series of functional descriptions, links, graphics and other data as necessary to fully describe a document. An authoring tool 102 is used to convert this description into a database 104. There are several authoring tools available as commercial

off the shelf (COTS) products, such as AIMMS™ available from Raytheon Corporation of Lexington, MA, DynaText® available from INSO® Corporation of Providence, RI, and Guide available from InfoAccess™ Inc. of Bellevue, WA. Each tool uses its own database format, some of which are merely directory structures containing files, and some may be relational databases. A presentation tool 106 is then required to retrieve the manual description from the database 104 and display the information to the user 108. Information displayed can be graphical 109 or textual 110, as defined in the database 104. These current systems are often inefficient and inadequate for standalone user environments for the reasons stated above.

### SUMMARY OF THE INVENTION

The aforementioned problems with presenting an IETM in a standalone environment and other problems with the prior art as described in the detailed description, below, are addressed by the present invention and will be understood by reading and studying the following specification. A method for parsing an electronic media database structure to produce tagged data is described which preserves the content, links, and electronic media structure such that the tagged data can be viewed using standard web browsers on a stand alone system. This method also provides an electronic media database structure that allows a user to view the electronic media using traditional IETM presentation methods.

Another advantage of the present invention is that it provides a method for efficiently updating the stand alone versions of electronic media when the database is modified to reflect changes in the electronic media, or technical manuals.

In particular, an illustrative embodiment of the present invention produces HTML data as an IETM (home page) linked into a relative structure of Web pages to support IETM deployment. The extraction



process assesses the functionality associated with each node designated for presentation and builds a virtual Web, based on attributes stored in the IETM database. A series of Web pages with links that hierarchically presents IETM data at run time is produced. The preferred embodiment supports a data warehousing strategy that converts any data type eligible within the relational database. The data warehousing strategy implementation stores data in a non-application specific environment and allows any data currently stored in the database to be included in the presentation to the user regardless of the origin of the data. This format free approach to data storage enhances the lifecycle of the data. This expands support across multiple types of technical and engineering data.

The preferred embodiment of a Web IETM implementation utilizes a relative addressed pure HTML solution viewable with a standard Web browser. This open system implementation is cross platform and infrastructure independent, requiring no special server software. Retaining the hierarchical structure dictated by the relational database in HTML output enhances the supportability and maintainability of the Web IETM implementation. Updates to this Web IETM implementation can be incrementally applied within the hierarchy (small sections of data) or the entire logical sections of Web data and sent to the user using many convenient methods, including via e-mail.

According the preferred embodiment, an IETM database is parsed to identify whether a data object is of type menu, narrative, graphic, table, or procedure. If the data object is a menu type, a starting menu is created. The data object information is selected from the Database. An HTML file representing the data object is created. Any links found within the data object information are stored for later processing. The saved links are then processed. Procedure objects are recursively parsed to account for exited-to procedures and yes/no decision branches in the procedure.

## BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing and other objects, aspects and advantages will be better understood from the following detailed description of a preferred embodiment of the invention with reference to the drawings, in which:

5           Figure 1 illustrates a state of the art system for displaying an Interactive Electronic Technical Manual;

          Figure 2 illustrates a system for extracting an Interactive Electronic Technical Manual description and generating Web pages;

          Figure 3 is a flow diagram of the method of the present invention;

10           Figure 4 shows the dialog box used to select the menu hierarchy to be extracted;

          Figure 5 shows dialog boxes used to define the scope of the Extract process;

15           Figure 6 shows the dialog box used to select the graphics file extension;

          Figure 7 shows the status report dialog box of the Extract process;

          Figure 8 shows the IETM database structure;

          Figure 9 is a flow diagram of the general method of the Extract process;

20           Figures 10A and 10B are a flow diagram for the process of parsing the selected node or data class;

          Figure 11 shows a top level menu of the Extracted IETM with one item expanded;

25           Figure 12 is an excerpt of HTML code generated by the Extract process for a table object;

          Figure 13 is an excerpt of HTML code generated by the Extract process for a graphic object;

          Figure 14 is an excerpt of HTML code generated by the Extract

process for a text object; and

Figure 15 shows an example of the first page of a procedure generated by the Extract process.

## DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT OF THE INVENTION

5

In the following detailed description of the illustrative embodiments, reference is made to the accompanying drawings which form a part hereof, and in which is shown by way of illustration specific illustrative embodiments in which the invention may be practiced. These  
10  
embodiments are described in sufficient detail to enable those skilled in the art to practice the invention, and it is to be understood that other embodiments may be utilized and that logical, mechanical and electrical changes may be made without departing from the spirit and scope of the present invention. The following detailed description is, therefore, not to  
15  
be taken in a limiting sense.

Referring again to the drawings, and more particularly to Figure 2, there is shown an overview of the preferred embodiment of the present invention. The method utilizes a database enabled authoring and presentation system for development and display of technical  
20  
documentation. These applications are Windows™ based and present Menus, Graphics, Text, Table and Procedure data to support user needs in operation and maintenance for the deliverable systems. (Windows is a trademark of Microsoft Corp.)

In order to produce a Web presentation 206 for IETM solutions operating in a Web architecture, an HTML Filter (Extract Application) 200  
25  
creates a pure HTML-based presentation 202 from the IETM database 104. IETM authoring activities 102 are able to continue as normal, retaining advantages of the DBMS 104 for development, but IETM deliveries are

extracted 200 to create a Web browser-viewable presentation 202.

The presentation 202 consists of an IETM "Home Page" 204 that references a structure of Web pages that support IETM deployment. The Web page structure uses "relative address" structure, meaning that the entire Web can be relocated to any machine, in any directory, and the hyperlinks, or uniform resource locators (URLs) still operate as desired. The Extract or filtering process 200 assesses the functionality and data type associated with each IETM data Node designated for presentation, and builds a virtual Web, based on the attributes and data stored in the relational database 104. This results in a series of Web pages 204 and 206 with links that hierarchically present the information at run time. This implementation estranges, or separates, the IETM presentation system from the DBMS and produces an infrastructure dependent deployment model. Utilizing pure HTML (standard Web pages) is an advantage because it produces a thin server/client IETM deployment that is cross platform compatible.

The Extract process reads IETM data stored in an IETM relational database and generates a relative addressed Web comprising HTML pages hyper-linked together to preserve the structure of the IETM. The Extract application of the preferred embodiment processes five (5) different types of IETM objects: menus, text, tables, graphics and procedures.

Referring now to Figure 3, a flow diagram of the Extract process 200 of Figure 2 is shown. The Extract process connects to the DBMS utilizing operator-defined protocols and controls identified in an initialization file, Extract.ini, resident with the application. An example Extract.ini is shown below, with comments in brackets "{}".

[Database]  
 DBMS=MSS (Msoft) SQL Server 6.0 {identifies the database management system where the IETM database resides}

5 Database=ARCI {registered name of the database with which to connect}  
 UserId= {user login (secure data source only)}  
 DatabasePassword= ""  
 LogPassword=  
 ServerName=medialab {domain name of the server where database resides  
 10 (remote database only)}  
 LogId=sa {database user ID}  
 Lock=  
 DbParm=Connectstring='DSN=SqlserImfsauth' {Connect string based on data  
 server name as registered in  
 15 the environment}  
 Prompt=0  
 DbIniFile="Imfsauth.ini"  
 [Path]  
 PathDir=g:\extract {location to output html data}  
 20 GraphicsPath=GRAPHICS\ {when deployed, relative address of images.  
 when processing HTML file that contains an  
 image, this information is appended to the  
 image name to provide accurate relative path}  
 [basePaths] {Collection of applications and items that are eligible for  
 25 Launching from the IETM content. Example 'PDF=legacy' PDF  
 (Portable Document Format) is the launch type and legacy is the  
 basepath. When a launch type of PDF is encountered during  
 extract, the basepath is appended to the file name in the HTML  
 to indicate where the source file can be located. (similar process  
 30 as images).  
 CBT=CBT  
 PDF=legacy  
 Legacy=Legacy  
 OpsWeb=Web  
 35 IETM=IETM  
 AVI=media

A top level menu is generated in function block 302 to provide the user with a hierarchical view of the IETM menu items. This menu provides navigation through various levels of the hierarchy. The user highlights a section of the IETM menu to define the point in the menu structure to initiate the extract process in function block 304. Using pull-down menus, the user selects the process to initiate, for instance as shown in Figure 4, HTML is the selected (highlighted) process.

Once the Extract process is initiated, the user makes selections for controls to define the scope associated with the extraction to HTML process in function block 306. These controls are presented in easy to understand dialogue boxes as shown in Figure 5. These controls allow the user to make decisions associated with how the HTML will be generated. Based on user selections, a defined menu structure may be designated, or previously generated HTML files may be skipped.

If the user chooses to generate link files in dialog box 51, all links (or data resources) required for this page or menu will be extracted. The hierarchy is extracted to a logical end. If the user chooses not to generate link files in dialog box 51, then only the top level menus are generated. This is efficient if the document has been previously generated in incremental pieces. If the user chooses to replace existing files in dialog box 52, then all previously created HTML files are assumed to have changed and will be regenerated and old files are overwritten. Otherwise, the old files are not overwritten as new files are generated. The user may also choose to generate a text file containing a list of all graphics and photo files which are referenced in the database for easy conversion later.

To enhance cross platform compatibility of the extracted Web IETM, the user is provided a dialog selection that enables the selection of a graphics format to be deployed 308, as shown in Figure 6. This selection ensures that graphic filenames referenced in the HTML files will be consistent with the deployed graphics images. Regardless of the graphics

file extension referenced in the IETM database, this selection substitutes the selected graphics extension during the HTML Extract process. This process also "normalizes" the extension case, adding cross platform functionality.

5           The graphics in the IETM database could be in any number of formats. The graphics files need to be converted to the selected deployed format 310. In the preferred embodiment, once the user selects the scope of the Extract process, a file may be optionally created that lists every graphic referenced within this hierarchy. This list is used to ensure that only the  
10       graphics files actually used are converted. This conversion may be done manually using any number of conversion tools known to one skilled in the art, or it could be implemented as an automatic procedure that reads from the previously generated graphics file list. Because COTS graphics formats are prone to change without notice, the preferred embodiment uses the  
15       manual method of conversion to avoid unforeseen compatibility problems.

          Although the preferred embodiment of the invention allows interactive selections by a user, it would be apparent to one skilled in the art how to modify the procedure to allow predefined or default controls.

          While the HTML Extract process is running, the user is presented  
20       with a real-time updating dialog that indicates the progress of the automatic procedure 312, as shown in Figure 7. All files created are listed, to indicate how far along the process is. This report identifies any errors associated with the Extract process. These errors include data  
25       inconsistencies, code errors, and resource descriptions. An Extract Report can be saved to a text file or printed for future evaluation.

          The nature and structure of information in an IETM database requires some definition of terms to describe data within the database environment and the specific use of the Extract process. The hierarchical associations defined in the IETM database are defined in Levels. Figure 8  
30       presents the terms and implied associations to be referenced throughout the

following description.

Referring now the Figure 8, the IETM database structure organizes nodes in a hierarchical structure that supports authoring and presentation of data. A defined system level node 81 defines the parent or top hierarchical level of the relational database. Data classes 82 are compartments, or database storage bins defined under a system. Each data class has an associated "edit type" defining the type of data stored in the database. Valid data types are

- Menu,
- Text,
- Graphics,
- Tables, and
- Procedures.

Nodes 83 are the actual database data elements stored in the database. The IETM authors import or edit the data under various data classes. Nodes are stored as plain text in a format free environment. The nodes are parented to a data class retaining the hierarchy of the data.

Referring again to Figure 3, when extracting the data from DBMS control to HTML in function block 314, it is important to retain as much of the database structure as possible to enhance data reusability. This is accomplished by implementing a Web structure that closely mimics the database while conforming to HTML relative addressing rules. Figure 9 illustrates the general flow of the Extract process.

Recalling that a menu structure was selected in 304 of Figure 3, the process then extracts a node or data class selected from the menu in block 91. The links in the selected menu structure are identified in block 92. When the links are identified in block 92, as described further below, four pieces of information are saved in array: the system id, class id, node id and name of the IETM object. These four pieces of information are saved in the array only if they are not contained in the array currently. After the



identification process terminates, the array of saved links is processed in block 93.

In a preferred embodiment of the invention, the identification process is called for each save link, to create the HTML file for the saved system id, class id, and node id. The HTML files generated in block 92 contain links to other HTML pages via the use of anchor tags. The file, to which the anchor refers, is not created until the link is processed in block 93, calling the process of block 92 for processing. The files created in block 92 are complete and are not modified by the processing in block 93. Postponing the processing of the links is done to free up resources and speed the performance of the extraction. One should note that during the processing of the links in block 93, the process of block 92 is executed and more saved links could be added to the array. Once all of the links have been processed the extract process is complete.

As illustration, suppose IETM object B links to IETM object C. When executing the link identification process for IETM object B and encountering the link to IETM object C, the system id, class id, node id and name of the IETM object C is saved in an array. The identification process completes for IETM object B (all database objects and file objects are closed and destroyed). The saved link for IETM object C is retrieved from the array (block 93) and the identification process (block 92) is called for the IETM object C. If IETM object C links to IETM object D, the link to IETM object D would be saved. The identification process completes for IETM object C (all database objects and file objects are closed and destroyed). The saved link for IETM object D is retrieved from the array (block 93) and the identification process (block 92) is called for IETM object D.

In another embodiment of the invention, processing of the links occurs immediately instead of information being saved in an array. For instance, IETM object B links to IETM object C. When executing the link

identification process (block 92) for IETM object B and encountering the link to IETM object C, the identification process is called immediately to create the file for IETM object C. The database objects and file objects associated with the IETM object B are left open until the processing of IETM object C is completed. If IETM object C links to IETM object D, the identification process is called immediately to handle the link to IETM object D. At this point the database objects associated with the IETM object B and IETM object C would be open. Over time, the number of database and file objects could expand rather quickly. It would be apparent to one skilled in the art that various implementations, all falling within the scope of the invention, could be used for identifying and processing the links to create the HTML pages, and that different methods produce varying results with respect to performance.

Figures 10A and 10B illustrate the preferred method of parsing the selected node or data class as in step 92. First, the IETM data type for the node or data class is determined in block 1001. If it is a menu type as determined in decision block 1002, a starting menu is created from user selected location in block 1003. Child data classes or nodes from the database are selected, given a menu data class in block 1004. An HTML file for a menu consisting of table row and table cell tags for alignment is created in block 1005. A table cell contains an anchor tag for links to submenus or IETM objects. Finally, for each child data class or node, the extract process is begun again in block 1006, transferring control to block 1001. If the user chose not to process links in the control selection phase, as described for Figure 5, then step 1006 is skipped for subordinate links and control is passed back to block 1001.

If the IETM data type for the node or data class is of narrative type, as determined in decision block 1010, then the narrative information is selected from the database in block 1011. An HTML file is created for a narrative consisting of paragraph and anchor tags for links to other IETM

objects in block 1012. One should note that if the HTML already exists, and the user chose not to replace all files during the control selection phase, then the existing file is not overwritten, and only new files, for links not previously processed, are created. Any links found within the narrative information are saved for later processing in block 1013, if the user selected links to be processed in the control selection phase, and the parsing of this node is now complete.

If the IETM data type for the node or data class is of graphic type as determined in decision block 1020, then the graphic information is selected from the database in block 1021. An HTML file is created for a graphic consisting of an image map with area tags for links to other IETM objects in block 1022. Any links found within the graphic information are saved for later processing in block 1023 and the parsing of this node is now complete.

If the IETM data type for the node or data class is of table type as determined in decision block 1030, then the table information is selected from the database in block 1031. An HTML file is created for a table consisting of table header, table row, and table cell tags in block 1032. Each cell may contain anchor tags to other IETM objects. Any links found within the table information are saved for later processing in block 1033 and the parsing of this node is now complete.

If the IETM data type for the node or data class is of procedure type as determined in decision block 1040, then the procedure information is selected from the database in block 1041. An HTML file is created for a procedure consisting of table row, table cell tags and checkbox tags in block 1042. Anchor tags may be included to link to the other IETM data types. Any links found within the table information are saved for later processing in block 1043 and the parsing. A test to determine whether the procedure has an exit is performed in decision block 1044. If there is an exit, then procedure information for the exited-to procedure is selected in

block 1045 and another HTML file is created in block 1042. Otherwise, a test to determine whether the procedure has a decision is performed in decision block 1046. If there is a decision, then the Yes portion of the procedure is recursively extracted in 1047 and then the No portion of the procedure is recursively extracted in block 1048. Otherwise, if there was no decision then the processing for this node is complete.

Utilizing the database generated auto-increment numerical fields, the Extract process converts the hierarchical data properties from the relational database into relative addressing for presentation in a Web browser. Links and relationships and between the IETM nodes are retained utilizing a common and consistent data storage structure. The numerical directories utilized for data storage and naming do not hinder data maintenance. All data is intended to be maintained in the relational database.

Each IETM data type is represented by one HTML page except in the case of the procedure data type. The IETM data is structured hierarchically in a tree, starting with menu items that are hyperlinked to either child menus or one of the other IETM data types. In turn, the child menu could link to another child menu or one of the other IETM data types. The last node in the tree cannot be a child menu; it must be either a text, graphic, table or procedure data type. A menu item can only be linked from another menu item. The Extract process uses recursion to traverse the tree, generating HTML files for each IETM data type encountered.

Figure 11 shows an example of a top level menu 1100 for an Acoustic Data Base. The functionality of the HTML generated menu structure mimics the functionality of a tree view. A graphic image of a plus sign 1101 is displayed before each menu item in the top level HTML page. When a menu item is clicked, the child menu is displayed "expanded" underneath the menu item clicked with the graphic image of a plus sign preceding each child menu item and a graphic image of a minus sign 1102

preceding the parent menu item.

Figure 12 shows an excerpt of HTML code generated by the Extract process for a table object. When processing a table object, the Extract process reads the table header, row and column information stored in the IETM relational database and generates the appropriate HTML table header 1201, table row 1202, 1203 and 1204 and table cell tags 1205.

Figure 13 shows an excerpt of HTML code generated by the Extract process for a graphic object. When processing a graphic object, the Extract process reads the graphic file name and hot spot coordinates from the connected database and generates an HTML image map using the graphic file name 1301. The hot spot coordinates are used to generate area tags 1302 within the image map to link to other IETM data types. The bottom of a graphic page may also contain graphic images of buttons that link to other IETM data types 1303.

Figure 14 shows an excerpt of HTML code generated by the Extract process for a text object. Similarly, for text data, the Extract process reads the textual information from the connected IETM relational database and generates corresponding paragraph tags 1401 to represent the data in HTML.

A text, table, graphic or procedure data type may contain one or more links to other IETM data type(s), except the menu type. When the Extract process encounters a link to another data type, an HTML anchor tag is written to the file for the data being processed and the application recursively calls itself to process the "linked to" object. The starting date and time is saved in order to avoid extra processing, since one IETM data type can be linked from multiple places. The entire IETM may be generated at once, or incrementally in smaller portions at different times. The user can navigate to the specific piece of the IETM and click a menu option to begin the Extract Process.

Figure 15 shows an example of the first page of a procedure

generated from the Extract process. When processing a procedure object, the Extract process reads the procedure steps from the IETM relational database. Procedures can be presented in a single HTML file if the procedure does not contain any decisions. If a procedure contains

5 decisions, the preferred method is that the procedure will be presented in multiple HTML files. Although not necessary to the extract process, it has been shown that users desire a method to keep track of which steps in a procedure have been performed. Therefore., a non-functioning check box

10 1501 precedes each procedure step so that the user/operator can keep track of which steps in the procedure have been performed by checking the boxes. This information only appears on the screen for the current session and is not permanently saved. In order to meet the U.S. government standards for IETM development, but also not necessary to the Extract process, some procedure steps are preceded by warnings, cautions and

15 notes text 1502 that are color-coded red, yellow and blue, respectively. Links to other IETM data types 1503 can be included in a procedure step

1504. Procedures can contain one or more decisions. A decision is a yes-no question. The procedure decision step is followed by a hyperlink titled "Yes" 1505 and a hyperlink titled "No" 1506. Each of these hyperlinks

20 links to other procedure step pages which in turn can contain other decisions.

According to the preferred embodiment of the present invention, the code used to present procedures, as outlined previously, utilizes two levels of recursion. When a procedure is authored, the procedure can exit

25 to other common procedures allowing data sharing and non-replication of data. The final HTML presentation of the IETM must mask the details used in constructing the procedure. The other complicating factor in procedures is the process flow of decision steps. Since procedures with decisions are represented in multiple files, sometime when processing a

30 decision branch of an "exited to" procedure the steps after the exit in the

parent procedure need to reside in the HTML file of the decision step of the "exited to" procedure. The steps after the exit in the parent procedure need to be included in the yes and no branch HTML files. Whenever an exit to another procedure is encountered a "recursive look ahead" is performed to determine if the "exited to" procedure or any of its descendants contain decisions. The second use of recursion is used to process the yes and no branches of a decision. The application calls itself to process a new HTML file for the yes branch and a new HTML file for the no branch.

Referring again to Figure 3, once the data has been extracted and the HTML pages are created, the entire relative addressed Web can be exported for use on a standalone machine in function block 316 and then displayed in function block 318 by a standard Web browser. This method is advantageous for periodic updates of the electronic media because a small subset of the Web can be regenerated as needed and then exported to the user via a disk or even by e-mail. With traditional methods of displaying an IETM, the DBMS is updated (or re-authored) and the custom client-server system must regenerate the pages viewed by the user as needed. This has been problematic because the user's system must remain connected to the DBMS server in order to receive any updated pages. In contrast, the present invention allows the IETM updates to be received on a diskette, or other media, or sent by e-mail, or downloaded by the user and then subsequently quickly installed on the target machine by the user. The IETM can then be viewed on a standalone machine with an ordinary web browser with no connection to a network or DBMS server.

An advantage of the method of the present invention is the operational performance of the extracted web far exceeds the existing Windows™ based presentation products. Testing for both the stand-alone personal computer (PC) based and URL Server based extract Web provided ten (10) times performance improvements in speed of presenting

data to the user. This enhances the overall acceptance of the product.

In addition, the HTML Web created by the Extract process is thin server / client. When operated in a server mode (connectivity to the intranet) the application requires only minimal storage and a standard Web server (like Internet Information Service) and only a standard Web browser. The HTML files produced by the Extract process support PC stand-alone operation through 'file serving' using a standard web browser with no plug-ins or personal server application with no loss in functionality.

The preferred embodiment of the present invention operates on IETM databases and is described in more detail above in this context. It would be apparent to one skilled in the art that the present embodiment could be easily modified to operate on any database containing data of a hierarchical nature that is desired to be presented to a user in an easily manipulable and navigable format, such as Web pages. In addition, while the preferred embodiment is designed to read data from a relational database, it would be apparent to one skilled in the art how to modify the invention to parse data stored in any number of formats.

As a perfecting feature of the invention, but not necessary to its practice in accordance with its basic principles, large quantities of engineering data can be warehoused in the Extract database, with supporting data warehousing strategies, as described above. Once the data has been stored in the database using an authoring or similar tool, it is eligible for Extract to HTML for presentation on the Web supporting customer review, thin client data delivery, data archive and enhanced data configuration management. Web base marketing data could also be warehoused and presented using this method. By using the Extract process of the present invention with these and other types of data, virtually any electronic media description can be transformed into a portable web of information.



540003AA

While the invention has been described in terms of a single preferred embodiment, those skilled in the art will recognize that the invention can be practiced with modification within the spirit and scope of the appended claims.

540003AA

## CLAIMS

Having thus described our invention, what we claim as new and desire to secure by Letters Patent is as follows:

- 1        1. A method for generating relative addressed Web pages from an  
 2        electronic media database structure, said method comprising:  
 3                connecting to a database structure having data defining an  
 4        electronic media description;  
 5                generating a top level menu of a structure from said electronic  
 6        media description;  
 7                selecting a menu structure to parse;  
 8                parsing said selected menu structure; and  
 9                generating tagged data relative Web pages that preserve said  
 10       hierarchy of said original electronic media description in said DBMS.
  
- 1        2. A method as recited in claim 1, wherein said hierarchy is preserved by  
 2        generating links between and among said tagged data relative Web pages  
 3        which correspond to said original hierarchy of said original electronic  
 4        media description.
  
- 1        3. A method as recited in claim 1, further comprising selecting  
 2        interoperability options.
  
- 1        4. A method as recited in claim 3, further comprising converting graphics  
 2        files to a format selected in the step of selecting interoperability options,  
 3        wherein a user may choose to convert only graphics files actually  
 4        referenced in said selected menu structure.

1 5. A method as recited in claim 1, further comprising displaying status of  
2 generating tagged data relative web pages in real time.

1 6. A method as recited in claim 1, further comprising exporting said  
2 relative Web pages to be used in a standalone environment.

1 7. A method as recited in claim 6, wherein the step of exporting is  
2 performed by sending e-mail web page updates to a user, said user  
3 overwriting existing web pages with said web page updates.

4 8. A method as recited in claim 1, further comprising displaying said  
5 tagged data relative Web pages using a Web browser.

1 9. A method as recited in claim 1, wherein said tagged data relative Web  
2 pages are coded in one of the languages selected from the group consisting  
3 of Standard Generalized Markup Language (SGML), eXtensible Markup  
4 Language (XML) and HyperText Markup Language (HTML).

1 10. A method as recited in claim 1, wherein the step of parsing said  
2 selected menu structure further comprises identifying whether a data object  
3 is of type menu, narrative, graphic, table, or procedure.

1 11. A method as recited in claim 10 wherein said data object is of type  
2 menu, further comprising:  
3 selecting menu information from said DBMS;  
4 creating a start menu; and  
5 for each child data class or node, recursively performing said  
6 parsing and said generating steps.

1 12. A method as recited in claim 10 wherein said data object is of type  
2 narrative, graphic or table, further comprising:  
3 selecting object information from said DBMS; and  
4 saving links found within said information for later processing.

1 13. A method as recited in claim 10 wherein said data object is of type  
2 procedure, further comprising:  
3 selecting procedure information from said DBMS;  
4 saving links found within said procedure information for later  
5 processing;  
6 if there is an exited-to procedure then  
7 selecting procedure information for an exited-to procedure  
8 from said DBMS; and  
9 recursively performing said parsing and said generating  
10 steps for said exited-to procedure; and  
11 if there is a decision in said procedure comprising a YES portion  
12 and a NO portion then  
13 selecting the YES portion of said procedure and recursively  
14 performing said parsing and said generating steps on the  
15 YES portion; and  
16 selecting the NO portion of said procedure and recursively  
17 performing said parsing and said generating steps on the  
18 NO portion.

1 14. An apparatus for parsing a database structure to produce tagged data  
2 that preserves the content, links, and structure of the original electronic  
3 media description that can be viewed as a local relative addressed Web of  
4 pages, comprising:  
5 a DBMS with data defining an electronic media description;  
6 a user interface allowing a user to interactively select options

7 controlling an extraction process and view status; and  
8 an extractor for extracting data from said DBMS and generating  
9 tagged data relative Web pages that can be exported and viewed by a  
10 standalone computing device using a Web browser.

1 15. An apparatus for parsing a database structure to produce tagged data as  
2 recited in claim 14, wherein said extractor utilizes recursion.

1 16. A method for extracting data from a selected menu structure of an  
2 electronic media database structure for generating relative addressed Web  
3 pages, said method comprising:

- 4 (a) identifying whether a data object is of type menu, narrative,  
5 graphic, table, or procedure, and if said data object is a menu type, creating  
6 a starting menu from said selected menu structure;  
7 (b) selecting data object information from said DBMS;  
8 (c) creating an HTML file representing said data object;  
9 (d) saving links found within said information for later processing;  
10 (e) if said data object is a procedure type, then if there is an exited-  
11 to procedure then  
12 (1) selecting procedure information for an exited-to  
13 procedure from said DBMS;  
14 (2) creating an HTML file representing said exited-to  
15 procedure;  
16 (3) recursively performing steps (a) to (f) for said exited-to  
17 procedure; and  
18 (f) if said data object is a procedure type, then if there is a decision  
19 in said procedure comprising a YES portion and a NO portion then  
20 (1) selecting the YES portion of said procedure and  
21 recursively performing steps (a) to (f) on the YES portion;  
22 and

23 (2) selecting the NO portion of said procedure and  
 24 recursively performing steps (a) to (f) on the NO portion;  
 25 (g) processing said saved links; and  
 26 (h) repeating steps (a) to (g) for each data object in said selected  
 27 menu structure.

1 17. A computer readable medium containing code for extracting data from  
 2 a selected menu structure of an electronic media database structure for  
 3 generating relative addressed Web pages, the code implementing steps of:  
 4 (a) identifying whether a data object is of type menu, narrative,  
 5 graphic, table, or procedure, and if said data object is a menu type, creating  
 6 a starting menu from said selected menu structure;  
 7 (b) selecting data object information from said DBMS;  
 8 (c) creating an HTML file representing said data object;  
 9 (d) saving links found within said information for later processing;  
 10 (e) if said data object is a procedure type, then if there is an exited-  
 11 to procedure then  
 12 (1) selecting procedure information for an exited-to  
 13 procedure from said DBMS;  
 14 (2) creating an HTML file representing said exited-to  
 15 procedure;  
 16 (3) recursively performing steps (a) to (f) for said exited-to  
 17 procedure; and  
 18 (f) if said data object is a procedure type, then if there is a decision  
 19 in said procedure comprising a YES portion and a NO portion then  
 20 (1) selecting the YES portion of said procedure and  
 21 recursively performing steps (a) to (f) on the YES portion;  
 22 and  
 23 (2) selecting the NO portion of said procedure and  
 24 recursively performing steps (a) to (f) on the NO portion;

25 (g) processing said saved links; and  
26 (h) repeating steps (a) to (g) for each data object in said selected  
27 menu structure.

1 18. The computer readable medium of claim 17 wherein the computer  
2 readable medium is a data signal embodied in a carrier wave.

1 19. The computer readable medium of claim 17 wherein the computer  
2 readable medium is a data signal embodied in a digital data stream.

1 20. A computer data signal embodied in a carrier wave comprising  
2 computer code for extracting data from a selected menu structure of an  
3 electronic media database structure for generating relative addressed Web  
4 pages, comprising:

5 a first code section for identifying whether a data object is of type  
6 menu, narrative, graphic, table, or procedure, and if said data object is a  
7 menu type, creating a starting menu from said selected menu structure;

8 a second code section for selecting data object information from  
9 said DBMS;

10 a third code section for creating an HTML file representing said  
11 data object;

12 a fourth code section for saving links found within said information  
13 for later processing;

14 a fifth code section for recursively processing links and decision  
15 branches in procedure type information; and

16 a sixth code section for processing said saved links.

1 21. The computer readable medium of claim 20 wherein the computer  
2 readable medium is a data signal embodied in a carrier wave.

1 22. The computer readable medium of claim 20 wherein the computer  
2 readable medium is a data signal embodied in a digital data stream.

1 23. A computer data signal embodied in a carrier wave comprising a  
2 plurality of web pages wherein a hierarchy of an electronic media database  
3 structure is preserved in said plurality of web pages by generating links  
4 between and among said tagged data relative Web pages which correspond  
5 to said original hierarchy of said original electronic media description  
6 contained in an electronic media database structure, said web pages  
7 generated by a method comprising:  
8 generating a top level menu of a structure from said electronic  
9 media description;  
10 selecting a menu structure to parse;  
11 parsing said selected menu structure; and  
12 generating tagged data relative Web pages and preserving said  
13 hierarchy of said original electronic media description in said DBMS,  
14 wherein said web pages are generated on a server connected to said  
15 original electronic media database structure and said computer data signal  
16 is transmitted to a user not directly connected to said server.

1 24. A computer data signal embodied in a digital data stream comprising a  
2 plurality of web pages wherein a hierarchy of an electronic media database  
3 structure is preserved in said plurality of web pages by generating links  
4 between and among said tagged data relative Web pages which correspond  
5 to said original hierarchy of said original electronic media description  
6 contained in an electronic media database structure, said web pages  
7 generated by a method comprising:  
8 generating a top level menu of a structure from said electronic  
9 media description;  
10 selecting a menu structure to parse;





## **SYSTEM AND METHOD FOR INTERACTIVE ELECTRONIC MEDIA EXTRACTION FOR WEB PAGE GENERATION**

### **ABSTRACT OF THE DISCLOSURE**

- 5 A system and method for parsing an electronic media database structure to produce tagged data that preserves the content, links, and electronic media structure. In particular, HyperText Markup Language (HTML) data is generated as an Interactive Electronic Technical Manual (IETM) (home page) linked into a relative structure of Web pages to support IETM
- 10 deployment. An extraction process assesses the functionality associated with each node designated for presentation and builds a virtual Web, based on attributes stored in the IETM database. A series of Web pages with links that hierarchically presents IETM data at run time is produced. The method supports a data warehousing strategy that converts any data type
- 15 eligible within the relational database. This expands support across multiple types of technical and engineering data. The preferred implementation utilizes a relative addressed pure HTML solution viewable in standard Web browsers. This open system implementation is cross platform and infrastructure independent, requiring no special server
- 20 software. Retaining the hierarchical structure dictated by the relational database in HTML output enhances the supportability and maintainability of the Web implementation. Updates to this Web implementation can be incrementally applied within the hierarchy (small sections of data) or the entire logical sections of Web data.




FIG. 1  
PRIOR ART




FIG. 2





FIG. 3




FIG. 4




FIG. 5




FIG. 6



## Extracting - SYSTEM POWER DOWN SEQUENCE

### Extraction Info

Rewriting file: d:\extract\temp\4\109\1878.html  
Procedure file: SYSTEM POWER DOWN SEQUENCE  
Rewriting file: d:\extract\temp\4\18\975D1y.html  
Closing file: d:\extract\temp\4\18\975D1y.html  
Rewriting file: d:\extract\temp\4\18\975D1n.html  
Closing file: d:\extract\temp\4\18\975D1n.html  
Closing file: d:\extract\temp\4\109\1878.html

Save Report

Print Report

Done

FIG. 7





FIG. 8

314



Process A

FIG 9

Process A




FIG. 10A




FIG. 10B




FIG. 11

1666.html - Notepad

```
<HTML><HEAD><TITLE>35U Cabinet Cooling Fan Assembly R&R Procedure</TITLE><CENTER><A
NAME="0"></A><H1>35U Cabinet Cooling Fan Assembly R&R Procedure</CENTER></H1><HR WIDTH='100%'
SIZE='5'></HEAD><BODY>
<A NAME="1"></A><P>INPUT CONDITIONS:
<A NAME="2"></A><P>Personnel Recommended: 2
<A NAME="3"></A><P>2 Maintenance Technicians
<CENTER><TABLE BORDER=2 CELLPADDING=3>
<TR VALIGN="CENTER"><!--Begin table header data-->
<TH>Description</TH>
<TH>Part Number</TH>
<TH>Equipment NSN</TH>
<TH>CAGE Code</TH>
</TR><!--End of header data-->
<TR ALIGN="LEFT" VALIGN="TOP"><!--Begin row 1 data-->
<TD> Nutdriver, 5/16-inch</TD>
<TD> A-A-2382</TD>
<TD> 5120002930796</TD>
<TD><A HREF='../../1/57/258.html#7'> 58536</A></TD>
</TR><!-- End of Row 1-->
<TR ALIGN="LEFT" VALIGN="TOP"><!--Begin row 2 data-->
<TD> Nutdriver, 3/8-inch</TD>
<TD> A-A-2382</TD>
<TD> 5120002221499</TD>
<TD><A HREF='../../1/57/258.html#7'> 58536</A></TD>
</TR><!-- End of Row 2-->
<TR ALIGN="LEFT" VALIGN="TOP"><!--Begin row 3 data-->
<TD> Pliers, cutting, 6-inch
</TD>
<TD> A-A-2330</TD>
<TD> 5110002222708</TD>
<TD><A HREF='../../1/57/258.html#7'> 58536</A></TD>
</TR><!-- End of Row 3-->
```

FIG 12

```
225.html - Notepad
<HTML><HEAD><TITLE>35U Cabinet Cooling Fan Assembly Controls Photo</TITLE><CENTER><A
NAME="0"></A><H1>35U Cabinet Cooling Fan Assembly Controls Photo</CENTER></H1><HR WIDTH='100%'
SIZE='5'></HEAD><BODY>
<CENTER><IMG SRC="../../../graphics/PHOTOS/POOhaG1a.gif" ismap usemap="#image.map" border=0> ~ 1301
<!--Hotspot links inside image map--><MAP NAME="image.map">
<AREA SHAPE=rect HREF="../../../1/60/226.html#0" TARGET="_top" ALT="35U Cabinet Cooling Fan
Assembly Power Switch" COORDS="335,26,441,129"> ~ 1302
</CENTER></MAP>
<!--Button Data--><P><P><CENTER><P></CENTER></BODY></HTML> ~ 1303
```

FIG. 13.



1401

```
<HTML><HEAD><TITLE>ADB Controls and Indicators</TITLE><CENTER><A NAME="0"></A><H1>ADB Controls
and Indicators</CENTER></H1><HR WIDTH="100%" SIZE="5"></HEAD><BODY>
<A NAME="1"></A><P>The ADB Hardware Configuration Item has no unique controls or indicators. It
uses the controls and indicators of its components:
<A NAME="2"></A><P>1. 35U Cabinet Cooling Fan Assembly
<P><A HREF='../../1/82/225.html#0'>35U Cabinet Cooling Fan Assembly Controls Photo</A>
<A NAME="3"></A><P>2. Power Distribution Unit
<P><A HREF='../../1/82/224.html#0'>PDU Controls and Indicators Photo</A>
<A NAME="4"></A><P>3. Dual Disk Expansion Chassis Assembly - Front
<P><A HREF='../../1/82/278.html#0'>Dual Disk Expansion Chassis Assembly Controls and Indicators
Photo</A>
<A NAME="5"></A><P>a. Disk Drive Assembly
<P><A HREF='../../1/82/227.html#0'>Disk Drive Assembly Controls and Indicators Photo</A>
<A NAME="6"></A><P>4. Dual Disk Expansion Chassis Assembly - Rear
<P><A HREF='../../1/82/240.html#0'>Disk Expansion Chassis Assembly Rear Panel Controls Photo</A>
<A NAME="7"></A><P>5. Disk Expansion Chassis Assembly - Front
<P><A HREF='../../1/82/276.html#0'>Disk Expansion Chassis Assembly Controls and Indicators
Photo</A>
<A NAME="8"></A><P>a. Disk Drive Assembly
<P><A HREF='../../1/82/227.html#0'>Disk Drive Assembly Controls and Indicators Photo</A>
<A NAME="9"></A><P>6. Disk Expansion Chassis Assembly - Rear
<P><A HREF='../../1/82/240.html#0'>Disk Expansion Chassis Assembly Rear Panel Controls Photo</A>
<A NAME="10"></A><P>7. Phase-2 CPU Chassis - Front
<P><A HREF='../../1/82/230.html#0'>CPU Chassis Controls and Indicators Photo</A>
<A NAME="11"></A><P>a. Disk Drive Assembly
<P><A HREF='../../1/82/227.html#0'>Disk Drive Assembly Controls and Indicators Photo</A>
<A NAME="12"></A><P>8. Phase-2 CPU Chassis - Rear
<P><A HREF='../../1/82/243.html#0'>CPU Chassis Rear Panel Controls and Indicators Photo</A>
<A NAME="13"></A><P>a. FDDI Printed Circuit Board Assembly.
<P><A HREF='../../1/82/805.html#0'>FDDI Printed Circuit Board Indicators Photo</A>
</BODY></HTML>
```

FIG. 14



Application for United States Patent

## DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled  
**SYSTEM AND METHOD FOR INTERACTIVE ELECTRONIC MEDIA EXTRACTION FOR WEB PAGE  
 GENERATION**

the specification of which:

(check one) ☒ is attached hereto

☐ was filed on \_\_\_\_\_, as  
 Application Serial No. \_\_\_\_\_  
 and was amended on \_\_\_\_\_.  
 (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56\*

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			priority claimed	
(Number)	(Country)	(Day/Month/Year Filed)	yes	no
(Number)	(Country)	(Day/Month/Year Filed)	yes	no
(Number)	(Country)	(Day/Month/Year Filed)	yes	no

I hereby claim the benefit under Title 35, United States Code, § 119 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

<u>60/139,129</u> (Application Serial No.)	<u>June 14, 1999</u> (Filing Date)	<u>Pending Provisional</u> (Status: patented, pending, abandoned)
<u>60/158,129</u> (Application Serial No.)	<u>October 9, 1999</u> (Filing Date)	<u>Pending Provisional</u> (Status: patented, pending, abandoned)

Power of Attorney: As a named inventor, I hereby appoint C. Lamont Whitham, Reg. No. 22,424, Marshall M. Curtis, Reg. No. 33,138, Michael E. Whitham, Reg. No. 32,635, Paul A. Bernkopf, Reg. No. 41,615 and Patrick M. Hogan, Reg. No. 29,543 as attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. All correspondence should be directed to Whitham, Curtis & Whitham, Reston International Center, 11800 Sunrise Valley Dr., Suite 900, Reston, Virginia 20191. Telephone calls should be directed to Whitham, Curtis & Whitham at (703) 391-2510.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole

or First Inventor: James W. Peel, Jr.

Inventor's Signature James W. Peel Jr. Date: 1/26/2000

Residence: 1400 Peartree Lane, Bowie, MD 20716

Citizenship: United States of America

Post Office Address: Same as above

Full Name of Second

Joint Inventor, If Any: Melanie Langston

Inventor's Signature Melanie Langston Date: 1/27/2000

Residence: 10036 Field Court, Manassas, VA 20110

Citizenship: United States of America

Post Office Address: Same as above

Title 37, Code of Federal Regulations, § 1.56:

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith toward the Patent and Trademark Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is canceled or withdrawn from consideration, or the application becomes abandoned.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and (1) it establishes, by itself or in combination with other information, a prima facie case of unpatentability; or (2) it refutes, or is inconsistent with, a position the applicant takes in: (i) opposing an argument of unpatentability relied on by the Office, or (ii) asserting an argument of patentability.